



HAINAECN

Partner. Collaborate. Deliver.

Your Aluminium Specialist

**Service
Quality
Innovation**

What do we offer?

We offer an end to end product and service solution:

- ▶ Supply of International product and service solutions from Tier 1 Mills
- ▶ Logistics and 3PL services
- ▶ Product Development - We help you innovate and protect your IP
- ▶ Marketing
- ▶ Risk mitigation
- ▶ IP Protection



HAINAEON
Partner. Collaborate. Deliver.





Different Need - Different Mode

Giving customers a business
mode that suits their needs

Objectives

- ▶ Develop mutually beneficial partnerships with our customers
- ▶ Supply only the highest quality products and services
- ▶ Provide Industry leading logistics and 3PL services
- ▶ Deliver a sustainable and competitive market offer
- ▶ Customized solutions for every situation and business need
- ▶ Be the most agile and responsive supplier to the market
- ▶ Be easy to deal with!

Supporting Customers Globally



Marine Grade Products

Marine Plate: DNV/ABS/CCS/BV

We have an extensive range of marine grade products to suit the harshest of conditions.

Alloy	Temper	Thickness	Width	Length
5083	H116/H321	1.0-50mm	≤2500mm	≤11800mm
5383	H111/H116/H321	1.0-50mm	≤2500mm	≤11800mm

Products for Transport

Our products have strong corrosion and exfoliation resistance, good welding performance, high fatigue strength and high dimensional precision. Our products provide excellent flatness, and superior surface finishes and is over 40% lighter than traditional steel bodies, which can improve freight efficiencies and operating costs.

Alloy	Temper	Thickness	Width	Length
5052/5083	O/H34/H32	1.3-10.0mm	1000- 2600 mm	1000-16500mm
5083/5182/ 5454/5754	O/H111/H32	4.0-8.0mm	1000- 2680 mm	2000-12700mm

Tread Plate / Propeller Plate

Designed for use in a number of applications, including anti-slip plates for pedestrians, Architectural purposes for the Building and Construction industry, Tool Boxes, Trailer and Body Plates.

Grades: 3003/5052/5747

Temper: Various

Thickness: 1.5mm - 4.00mm

Width: 1000mm - 1600mm



Color Coated Aluminium Sheet and Strip

standard	GB/T17748-2008 GB/T22412-2008 YS/T431-2009	
material	al&al alloy 1.3.5.8 series	
specification	thickness	0.2-1.5mm
	width	850-1600mm
	ID	405、505、605mm
	OD	Max.1850mm
	max.coil weight	9000kg
	coating	acrylic, polyester, PVDF
coating thickness	single coating	8-20um
	double coating	16-30um
	triple coating	30-45um

- ▶ PE Coated
- ▶ PVDF Coating
- ▶ Mirror Coils with surface anodizing
- ▶ Epoxy resin coating





General Market Sheet & Plate

Supplier to Distributors and High-Volume End Users

Grades: 5005,5052,5251,3003,3004

Note: 5005,5052,5251,3003 also available in coil form.

- ▶ The most common grades used in general manufacturing and jobbing shops.
- ▶ An extensive range of gauges, widths and thickness and can be customized to suit your specific requirements.
- ▶ Suitable for a wide range of applications.
- ▶ Sheets supplied with PE coating or with Paper Interleaved to protect surface quality. Also available in Stucco finish





The End



David Watts



+61 450 642 603



dave@hainason.com.au



www.hainason.com.au